






2026



About Us

Founded in 1999, Krome Dispense Pvt. Ltd. builds on a family legacy of manufacturing that began in 1966. From plumbing products to precision beer dispense solutions, the journey reflects decades of craftsmanship and innovation. With advanced CNC machining, robotic finishing, and strong quality systems, Krome has grown into a trusted partner for brewers worldwide. Today, the brand serves over 20 international markets, combining family heritage with modern technology to deliver reliable, customer-focused beverage dispensing equipment.

300+
Employees

2500+
Products

20+
Partners Globally

200K sq ft. Constructed Area



Quality You Can Trust

At

Krome Dispense, all products are manufactured in facilities that meet the highest international standards for safety and quality.



NSF CERTIFIED

Compliant with global public health and sanitation standards.



CE APPROVED

Conforms to European Union safety, health, and environmental requirements.


We are committed to delivering reliable, food-safe components trusted by professionals worldwide.

Beer Dispensing System	06-09
Beer Coolers	10-20
Beer Towers	21-33
Customize Medallions	34
Beer Taps	35-39
Python Tubing	40
Keg Couplers	41-45
Gas Co2 Regulators.....	47-52
Cleaning Bottle	53
Beer Tap Handles.....	55
Drip Trays	56-57
Keg Seal Cap	58-59




Our commitment to every drop of
BEER DISPENSE

BEER DISPENSING SYSTEM



Complete Beer Dispense Solution From Beer Keg to Glass



1 TAP BEER DISPENSING SYSTEM



C2025
ALL FITTINGS
INCLUDED

Part #	Product Name
C553	3" Column Tower with 1 Flow Control Tap
C1572	Under Counter Beer Cooler
C611	Surface Drip Tray 6"x5" Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2025	Installation Kit for 1 beer line



2 TAP BEER DISPENSING SYSTEM



C2026
ALL FITTINGS
INCLUDED

Part #	Product Name
C1392	Economy T Tower with 2 Flow Control Taps- SS Polished-Glycol Recirculation Loop
C1572-2	Under Counter Beer Cooler
C642	12" x 7" Aluminium Surface Drip Tray – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2026	Installation Kit for 1 beer line



3 TAP BEER DISPENSING SYSTEM



C2028
ALL FITTINGS
INCLUDED

Part #	Product Name
C1383	Economy 3" T Tower with 3 Flow Control Taps & Illumination- SS Polished- Glycol Recirculation Loop
C1572-3	Under Counter Beer Cooler
C4027	24" x 7" Surface Drip Tray – Brushed Stainless – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2028	Installation Kit for 3 beer line



4 TAP BEER DISPENSING SYSTEM



C2027
ALL FITTINGS
INCLUDED

Part #	Product Name
C1384	Economy 3" T Tower with 4 Flow Control Taps & Illumination- SS Polished- Glycol Recirculation Loop
C1572-4	Under Counter Beer Cooler
C4027	24" x 7" Surface Drip Tray – Brushed Stainless – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2027	Installation Kit for 4 beer line



KROME GREENVATION


Beer Coolers



*New Refrigerant
More Cooling
Less Energy*



FLASH BEER CHILLER



CE Approved

- Under Counter Model
- Plug & Play Parts
- Option in Stainless Steel Body & Colored Body

Under Counter Beer Cooler

ECCOLINE
SERIES

CE
Approved



Powder Coated
Steel Body

1MM
SKIN PLATE



Nature 115



Nature 135

Part # Model No.	C1572-EL	C1672-EL
Ltr/hr	115	135
No. of Coils	1 - 4	1 - 6
Refrigerant	R290	R290
Compressor Power	1/3 HP	1/3 HP
Dimensions (L×W×H)	400x400x630mm	460x460x710mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	30	50
Ice Bank	10-20 Kg	20-25 Kg
Thermostat	Manual	Manual
Body Material	Galvanized Iron	Galvanized Iron
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

Under Counter Beer Cooler



Nature 115



Nature 135

Part # Model No.	C1572	C1672
Ltr/hr	115	135
No. of Coils	1 - 4	1 - 6
Refrigerant	R290	R290
Compressor Power	1/3 HP	1/3 HP
Dimensions (L×W×H)	400x400x630mm	460x460x710mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	30	50
Ice Bank	10-20 Kg	20-25 Kg
Thermostat	Manual	Manual
Body Material	Stainless steel	Stainless Steel
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

Integrated Over Counter Beer Cooler



Body



40-50

Nature 115



C4997-JG
A System
Keg Coupler



C870-HPH
Co2 Regulator &
High pressure
Hose Included



Power Stabilizer
Integrated



Brushed
Stainless

SOLO TOP SERVE

Part # Model No.	C1594x1-PS-BA
Ltr/hr	115
No. of Coils	1
Refrigerant	R290
Compressor Power	1/3 HP
Dimensions (LxWxH)	410x570x450mm
Coil Length	20 m
Water Tank Capacity(L)	35L
Ice Bank	15-18 Kg
Thermostat	Manual
Body Material	Stainless Steel
Leveling Feet	Included



Illuminated

120mm



Integrated Draft Beer Mobile Cooler



Body



NATURE ONE

Part # Model No.	C1674x1-PS-BA
Ltr/hr	135
No. of Coils	1
Refrigerant	R290
Compressor Power	1/3+ HP
Dimensions (L×W×H)	465x565x1285mm
Coil Length	20 m
Water Tank Capacity(L)	50L
Ice Bank	25 Kg
Thermostat	Manual
Body Material	Stainless Steel
Caster Lockable Wheels	Included

Also Available in
Digital Thermostat



C4997-JG
A System
Keg Coupler



C870-HPH
Co2 Regulator &
High pressure
Hose Included



Power Stabilizer
Integrated



Brushed
Stainless



Caster Lockable-
4 Wheels / 2 Lockable



TROPICAL
SERIES



C1572
KE - 115V-290
Under Counter Beer Cooler

Copper
Evaporator



ECCOLINE
SERIES



1MM
SKIN PLATE



C1572-EL
KE - 115V-290
Under Counter Beer Cooler

Vertical Coolers

Beverage Type	Beer / Wine
Refrigerant Gas	R290
Number of Lines	1 - 6
Casters + Leveling Feet	Included
General Data Sheet Specification Value	
Water Tank Capacity (Net)	32L
Ice Bank Capacity	14 Kg
Compressor Power Rating	1/3 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	3.6 kWh
Overall Height (Including Pump)	755mm
Dimensions (L × W)	400 × 400 mm
Net Weight (Without Coils)	35 Kg
Maximum Number of Coils (16/20 m each)	3
Maximum Coils (including 11 m coils)	6
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 6
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:




WW = Without
Wheels



D = Digital
Thermostat



Plug Types:
E, F, J, K, L,
UK(G), TH(O)



RA = Reverse
Air Flow



Optional
Stainless Steel
Evaporator

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***



TROPICAL
SERIES | **SS** Body

C1672
KE - 135V-290
Under Counter Beer Cooler



ECCOLINE
SERIES | **Powder Coated**
Steel Body | **1MM SKIN PLATE**

C1672-EL
KE - 135V-290
Under Counter Beer Cooler



Vertical Coolers

Beverage Type	Beer / Wine
Refrigerant Gas	R290
Number of Lines	1 - 7
Casters + Leveling Feet	Included
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/3 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	4.2 kWh
Overall Height (Including Pump)	830mm
Dimensions (L × W)	465 × 465 mm
Net Weight (Without Coils)	42 Kg
Maximum Number of Coils (16/20 m each)	5
Maximum Coils (including 11 m coils)	7
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 7
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m / 18m

Available Configuration Options:




**WW = Without
Wheels**



**D = Digital
Thermostat**



Plug Types:
E, F, J, K, L,
UK(G), TH(O)



**RA = Reverse
Air Flow**



**Optional
Stainless Steel
Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

MOQ Applies

www.kromedispense.com



TROPICAL
SERIES | **SS** Body

C1685
KE - 145V-290
Under Counter Beer Cooler

Copper
Evaporator

CE
Approved

80-90

ECCOLINE
SERIES | **Powder Coated**
Steel Body | **1MM**
SKIN PLATE

C1685-EL
KE - 145V-290
Under Counter Beer Cooler



Vertical Coolers

Beverage Type	Beer / Wine
Refrigerant Gas	R290
Number of Lines	1 - 7
Casters + Leveling Feet	Included
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/2 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	4.2 kWh
Overall Height (Including Pump)	830mm
Dimensions (L x W)	465 x 465 mm
Net Weight (Without Coils)	42 Kg
Maximum Number of Coils (16/20 m each)	5
Maximum Coils (including 11 m coils)	7
Available Versions	
Electric Supply Options	220-240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 7
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 x 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m / 18m

Available Configuration Options:




WW = Without
Wheels



D = Digital
Thermostat



Plug Types:
E, F, J, K, L,
UK(G), TH(O)



RA = Reverse
Air Flow



Optional
Stainless Steel
Evaporator

Base Item number includes basic machine only. Separate item numbers: coils and plug.


This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

MOQ Applies



SOLO TOP SERVE

Integrated Over Counter Beer Cooler



Horizontal Coolers

Model Number	C1594x1-PS-BA
Beverage Type	Beer / Wine
Refrigerant Gas	R290
Number of Lines	1
Leveling Feet	Included
General Data Sheet Specification Value	
Water Tank Capacity (Net)	35L
Ice Bank Capacity	15-18 Kg
Compressor Power Rating	1/3 HP
Thermostat	Manual
Performance & Power Consumption	
Max Power Absorption	360W
Dimensions (L x W x H)	410 x 570 mm x 450mm
Maximum Number of Coils (20 m each)	1
Available Versions	
Electric Supply Options	220-240V AC, 50/60 Hz or 115V, 50/60 Hz
Compressor Brand	EMBRACO
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 x 8 mm
Thermostat Options	Digital (with Protection)
Plug Options	E, F, J, K, L, UK(G), TH(O)


Available Configuration Options:



D = Digital Thermostat



Plug Types:
E, F, J, K, L,
UK(G), TH(O)



RA = Reverse Air Flow

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***



TROPICAL
SERIES



NATURE ONE

Integrated Draft Beer Mobile Cooler



Brushed Stainless



Caster Lockable-

4 Wheels / 2 Lockable



C4997-JG
A System
Keg Coupler



C870-HPH
Co2 Regulator &
High pressure
Hose Included



Power Stabilizer
Integrated

Vertical Coolers

Model Number	C1674x1-PS-BA
Beverage Type	Beer / Wine
Refrigerant Gas	R290
Number of Lines	1
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/3+ HP
Standard Agitator Pump Lift	8m (Italian)
Thermostat	Manual (with)
Performance & Power Consumption	
Cooling Power Performance	895W
Beverage Temperature IN/OUT	+24 °C / +4 °C
Dimensions (L x W x H)	465 x 565 x 1285mm
Maximum Number of Coils (20 m each)	1
Available Versions	
Electric Supply Options	220-240V AC, 50/60 Hz- Stabilized Power
Compressor Brand	EMBRACO
Outlet	Snake Mini LED
Coil Diameter	7 x 8 mm
Thermostat Options	Digital
Plug Options	E, F, J, K, L, UK(G), TH(O)

Available Configuration Options:




WW = Without
Wheels



D = Digital
Thermostat



Plug Types:
E, F, J, K, L,
UK(G), TH(O)



RA = Reverse
Air Flow



Optional
Stainless Steel
Evaporator

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.




MOQ Applies

BEER TOWERS



T
HE B
IG P
OUR
Series

Models Overview





MOON LIGHT
TOWER



SHARP HEAD
TOWER



SUBLIME
TOWER



CLAMP-ON
TOWER



T TOWERS



3" ECONOMY T
TOWERS



WALL MOUNT
BRIDGE TOWERS



WING STYLE
BRIDGE TOWER

Pre-Design / Bespoke - Towers

Shaping products with your ideas – Bespoke



WE ADD VALUE
TO BEER BRANDS

DESIGN • DEVELOP • DELIVER

Design Center – Bespoke Products

At Krome, we design innovative, customizable products tailored in shape, finish, and lighting to match your style. Our expert team creates elegant, brand-focused solutions for beer towers, tap handles, and medallions.

So, what's the bespoke font you fancy? Tell us by filling out a form here and we'll shape it for you.

Scan QR
Code to fill
the form



Customize... Go beyond the usual... Mix and match for your unique product..

- Innovative or standard beer towers with 1+ faucets
- Surface, wall, or ceiling mounting
- Multiple colors and finishes: SS, Chrome, Copper, PVD, Matte
- Optional illumination for ambiance


Beer Towers




EPIC TOWER

SPECIFICATIONS:

Material: Brass
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome


PVD Gold



SUPERB TOWER

SPECIFICATIONS:

Material: Brass
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop & Air Cooled



COLOR & FINISHES AVAILABLE:



Chrome

PVD Gold


Beer Towers



SHARP HEAD TOWER

SPECIFICATIONS:

Material: Stainless Steel 304
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome




PVD Gold



3" ECONOMY COLUMN TOWER

SPECIFICATIONS:

Material: Stainless Steel
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Screw Mount
Cooling Technology: Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome



Beer Towers



ANTHINA SLIM TOWER

SPECIFICATIONS:

Material: Brass
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:




Chrome



SUBLIME TOWER

SPECIFICATIONS:

Material: Stainless Steel 304
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome

Beer Towers



3" ECONOMY T TOWER

SPECIFICATIONS:

Material: Stainless Steel
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Screw Mount
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome



PVD Gold



PVD Copper



Brushed




Brushed Copper



3" ECONOMY ELBOW TOWER

SPECIFICATIONS:

Material: Stainless Steel
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Screw Mount
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome



PVD Gold



PVD Copper



Brushed



Brushed Copper


Beer Towers




3" ECONOMY BRIDGE TOWER

SPECIFICATIONS:

Material: Stainless Steel 304
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Screw Mount
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome PVD Gold PVD Copper Brushed Brushed Copper



4" BRIDGE TOWER

SPECIFICATIONS:

Material: Stainless Steel 304
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome Brushed Brushed Copper

Beer Towers



WING STYLE BRIDGE TOWER

SPECIFICATIONS:

Material:	Stainless Steel
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop Plus & Air Cooled



COLOR & FINISHES AVAILABLE:



Chrome



Brushed



Brushed Copper


Beer Towers



CRUISE TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:





Chrome



INSPIRE TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus & Air Cooled



COLOR & FINISHES AVAILABLE:



Chrome



PVD Gold

Beer Towers

FLEXIBACK TOWER





UNBRANDED



BRANDED

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:




Chrome

Beer Towers

T_{HE} B_{IG} P_{OUR} **SERIES**

SPECIFICATIONS:

Material: Stainless Steel 304
Beer Line Tubing: 8 OD x 7 ID SS 304 Tube(mm)
Mounting: Through Counter
Cooling Technology: Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



120mm
LARGE BRANDING

Customized Medallions



Clear Fish Eye Medallion
80mm

Clear Frog Eye Medallion
80mm

Clear Fish Eye Medallion
120mm

ILLUMINATED CUSTOM BRANDING




Beer Taps

We Know Taps

C254
CLASSIC

FLOW CONTROL
Taps



- SS Spout
- Chrome Plated
- Superior Flow Control.
- Reduces spillage of beer.
- Made of heavy duty metal
- Dispenses multiple beer styles

Also Available In

PVD Gold
Finish

Beer Taps


NEW

C3024

FORWARD SEALING TAP

Free Flow

**100%
STAINLESS
STEEL**



**REPAIR KIT FOR FORWARD
SEALING TAP**

Part # C2494

S.No.	Part Name	Part No.
1	Forward Sealing Faucet	C3024.01
2	US Lever	C230
3	Coupling Gasket	C201.07
4	Teflon Washer	C201.06
5	Lever Friction Rubber Washer	C201.05
6	Bonnet	C201.04
7	Collar Nut	C201.03
8	Forward Sealing Shaft	C3024.02
9	Seat O-Ring	C3024.03
10	Forward Sealing Spout SS	C3024.04
11	Spout Washer	C3024.04


Beer Taps

C3023 FORWARD SEALING TAP

With Flow Control



**100%
STAINLESS
STEEL**



FORWARD SEALING GROWLER SPOUT BODY



Part No. C843
Thread 3/8" x 19 BSP
Material Stainless Steel 304



FORWARD SEALING STOUT SPOUT



Part No. C1712
Thread 3/8" x 19 BSP
Material Stainless Steel 304



BALL LOCK QUICK DISCONNECT (QD) SPOUT



Part No. C1713
Thread 3/8" x 19 BSP
Material Stainless Steel 304



REPAIR KIT FOR FLOW CONTROL FORWARD SEALING TAP

Part No. C2493

S.No.	Part Name	Part No.
1	Forward Sealing Body - FC	C3023.01
2	US Lever	C230
3	Coupling Gasket	C201.07
4	Teflon Washer	C201.06
5	Lever Friction Rubber Washer	C201.05
6	Bonnet	C201.04
7	Collar Nut	C201.03
8	Forward Sealing Spout SS	C3024.04
9	Forward Sealing Washer	C3023.04
10	Forward Sealing Compensator	C3023.02
11	European Flow Control O-Ring	C254.27
12	Tank Plug O-Ring	C970.02
13	Shaft and O-Ring	C3023.50
14	Spindle	C3023.51

Beer Taps

C3075 **Pull Down** Beer Tap

With John Guest fitting

- SS Spout
- Chrome Plated
- John Guest fitting 3/16"



100%
STAINLESS
STEEL

Beer Taps


C203 **Standard Beer Faucet** US Type

100%
STAINLESS
STEEL



- Stainless Steel 304
- SS Polished
- Body material – SS 304 grade; Shaft assembly – SS 303 grade.
- Safe to use without giving any off flavours to the beer.
- Designed to dispense many different styles of beer

BEST IN CLASS PYTHON TUBING



PYTHON CLAMP

Part #	Product Name
C070	Python Clamp

PYTHON TUBING

Part #	Product Name
C2261	Python Tubing for 2 Beer Lines
C2262	Python Tubing for 3 Beer Lines
C2263	Python Tubing for 4 Beer Lines
C2264	Python Tubing for 6 Beer Lines
C2265	Python Tubing for 10 Beer Lines
C2266	Python Tubing for 5 Beer Lines
C2267	Python Tubing for 8 Beer Lines
C2268	Python Tubing for 8 Beer Lines + 4 Recirculation Lines
C2269	Python Tubing for 6 Beer Lines + 4 Recirculation Lines
C2260	Python Tubing for 10 Beer Lines + 4 Recirculation Lines

Keg Coupler




A COUPLER



G COUPLER



U COUPLER



M COUPLER



D COUPLER



S COUPLER

Coupler Handles



Flat Handle




Pull Handle



Eagle Handle

Get Coupler With Your Beer Branding



Your Beer Brand
Here



Your Beer Brand
Here

Keg Coupler

A TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C716	SS 304	BRASS	5/8"x14 BSP	3/4"x14 BSP	No	Eagle
C723	SS 304	BRASS	5/8"x14 BSP	5/16" Tailpiece	Yes	Eagle
C724	SS 304	BRASS	5/8"x14 BSP	5/8"x14 BSP	No	Eagle
C6003	SS 304	BRASS	5/8"x14 BSP	5/8"x14 BSP	Yes	Eagle
C4998	SS 304	AISI 304	5/8"x14 BSP	3/8" JG	No	Flat
C6013	SS 304	BRASS	5/8"x14 BSP	5/16" Tailpiece	No	Pull
C4997-JG	SS 304	AISI 304	3/8" JG	5/16" JG	No	Flat



G TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C715	SS 304	BRASS	1/2"x14 BSP	5/16" Tailpiece	Yes	Eagle
C5002	SS 304	BRASS	5/8"x14 BSP	1/4" Barb	No	Eagle
C840	SS 316	AISI 304	1/2"x14 BSP	1/2"x14 BSP	No	Flat



C715

S TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C704	SS 304	AISI 304	5/8"x14 BSP	—	Yes	Pull
C705	Brass	SS 304	5/8"x14 BSP	—	Yes	Pull
C714	SS 304	BRASS	1/2"x14 BSP	1/2"x14 BSP	No	Pull
C745	SS 316	AISI 304	5/8"x14 BSP	—	No	Pull
C805	BRASS	BRASS	5/8"x14 BSP	—	Yes	Pull
C804	SS 304	BRASS	5/8"x14 BSP	—	Yes	Pull
C747	SS 316	SS 304	1/2"x14 BSP	1/2"x14 BSP	No	Flat
C747-JG	SS 316	SS 304	3/8" JG	5/16" JG	No	Flat
C747-JG2	SS 316	SS 304	3/8" JG	3/8" JG	No	Flat



C747-JG

Keg Coupler

U TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C712	SS 304	SS 304	1/2"x14 BSP	5/16" Tailpiece	Yes	Eagle
C5012	SS 304	SS 304	1/2"x14 BSP	1/2"x14 BSP	No	Eagle



C712

D TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C738	BRASS	SS 304	5/8"x14 BSP	5/16"x14 BSP	Yes	Pull
C742	SS 316	SS 304	5/8"x14 BSP	5/16"x14 BSP	Yes	Pull
C701-JG	BRASS	SS 304	5/16" JG	5/16" JG	Yes	Pull
C703-JG	SS 304	SS 304	5/16" JG	5/16" JG	Yes	Pull



C738

C701-JG


Keg Key

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C5003	SS 304	BRASS	5/8"x14 BSP	5/16" Tailpiece	No	Eagle
C5017	SS 304	BRASS	5/8"x14 BSP	5/16" Tailpiece	Yes	Eagle
C5017-JG	SS 304	BRASS	3/16" JG	3/16" JG	Yes	Eagle
C5017-JG-516	SS 304	BRASS	3/8" JG	5/16" JG	Yes	Eagle




C5003

Keg Filling and Washing Coupler D TYPE



MANUAL KEG FILLER

Part No.	C2249
Type	D Type
Probe Material	Stainless Steel 304
Body Material	Brass
Handle	Pull



S.No.	Part Name	Part No.
1	Hex Nut	C181
2	Tailpiece 1/2"	C287
3	Neoperene Washer	C270
4	Shutt off Valve	C116
5	D System Probe	C703.50
6	Coupler Body O-Ring	C704.03
7	Short Handle	C704.10
8	D System Body	C804.01
9	Shanky Bottom Seal	C704.05
10	Shutt off Valve	C270
11	Neoperene Washer	C270
12	Tailpiece 1/2"	C287
13	Hex Nut	C181
14	Handle Hinge Pin	C704.09

Threaded Quick Connectors



REDUCING ELBOW QUICK CONNECT

Part No.	C5553	C5554
Size	1/2" x 3/8"	5/16" x 1/2"



VALVE

Part No.	C028	C759	C5508	C2175
Size	3/8"	3/8"	1/2"	3/8"
Type	Inline Valve	Angle Stop T Valve	Shut Off Valve	Angle Stop Adapter Valve



EQUAL T CONNECTORS

Part No.	C090	C091	C092	C093	C094
OD	3/16"	1/4"	3/8"	1/2"	5/16"



C095



C096

THREADED ELBOW QUICK CONNECTORS

Part No.	C095	C096
Size	5/8" BSP X 3/8" Push In	1/4" x 1/4" Male Elbow



THREADED QUICK CONNECTORS

Part No.	C069	C766	C081
Size	3/8" x 1/2" NPT Male	3/8" x 1/4" NPTF Male	3/8" JG x 5/8" BSP Female
Part No.	C072	C741	C049
Size	3/8" JG x 1/2" BSP Female	3/8" JG x 7/16 Female	1/2" JG x 1/2" BSP Female
Part No.	C050	C2161	
Size	JG 1/2" Inlet x 3/8" BSP	5/8" x 1/4" BSPT	



BULKHEAD CONNECTOR - JG FITTING

Part No.	C5529
Size	3/8"



WYE FITTINGS


Part No.	C083	C5509
Size	3/8" x 3/8"	1/2" x 1/2"



JG FITTING TUBE TO HOSE STEM


Part No.	C5544
JG OD	1/4"
Hose OD	3/8"

PRECISION+ GAS Co2 REGULATOR



- Forged Brass Body
- More Precise
- UL- Certified Gauges
- Interchangeable Spare Parts

PRECISION+ GAS Co2 REGULATOR



C2971

S.No.	Part Name
1	0-4500 PSI Gas Regulator Gauge
2	Co2 Gas Regulator Gauge upto 60 PSI
3	Aluminum Gas Distributor Check Valve
4	Repair Kit for Precision Plus Regulator
5	Co2 Nut-USA for Precision Plus Regulator
6	Co2 Inlet Stem
7	Inlet Co2 Filter
8	Inlet Seal Retaining Nut
9	Nylon Co2 Inlet Seal

PRECISION+ GAS CO₂ REGULATOR PRIMARY

Primary gas regulator drop the high pressure of gas cylinder to suitable pressure for dispensing. It can be used for single application with single pressure.


- Use 1/4" or 5/16" barbs as required
- Allows for quick switching of gas line



FEATURES

- Precise performance
- Accurate pressure setting
- Built-in safety valve
- Stainless steel valve seat
- Coated brass body
- Tamper-proof cap and ring
- Easy to adjust with included Allen key
- Hidden adjustment screw
- No regular maintenance needed

Product Range



C870-HK



C870-SO




C870

PRECISION+ GAS CO₂ REGULATOR PRIMARY

Primary gas regulator drop the high pressure of gas cylinder to suitable pressure for dispensing. It can be used for single application with single pressure.

- Use JG 3/8" or JG 5/16" as required
- Allows for quick switching of gas line



FEATURES

- Precise performance
- Accurate pressure setting
- Built-in safety valve
- Stainless steel valve seat
- Coated brass body
- Tamper-proof cap and ring
- Easy to adjust with included Allen key
- Hidden adjustment screw
- No regular maintenance needed

Product Range



C2892-JG




C2893-JG


Primary Precision + Co₂ Gas Regulator



C2971



C2971-CV



C2962

Secondary Precision + Co₂ Gas Regulator



C3873



C3870




C3871

NEW



5 Liter Beer Line Cleaning Bottle

Stainless Steel Head



Interchangeable Spears

PRESSURIZED CLEANING BOTTLES

Part #	Capacity	Suitable for	Bottle Material	Max Pressure
C2221	5 Liters	A	Polyethylene	65 PSI
C2223	5 Liters	S	Polyethylene	65 PSI
C2224	5 Liters	D	Polyethylene	65 PSI
C2226	5 Liters	G	Polyethylene	65 PSI
C2227	5 Liters	U	Polyethylene	65 PSI
C2232	5 Liters	KEY KEG	Polyethylene	65 PSI

Gas Cylinder Holder



C548



C549


GAS CYLINDER HOLDER

Part #	Product Name
C548	Co2 Gas Cylinder Holder (For One Cylinder)
C549	CO2 Gas Cylinder Holder (For Two Cylinder)

BEER TAP HANDLES



All drip trays are made from
Stainless Steel 304



Drip Trays With Glass Rinser



SIDE SPRAY GLASS RINSER DRIP TRAY WITH PLASTIC DISK

Part #	Size	Material
C465	10" X 7"	Stainless Steel 304
C466	15" X 7"	Stainless Steel 304
C359	20" X 7"	Stainless Steel 304
C460	24" X 7"	Stainless Steel 304
C461	30" X 7"	Stainless Steel 304
C462	36" X 7"	Stainless Steel 304
C463	45" X 7"	Stainless Steel 304

Also Available In
Stainless Steel DISK

Seal Your Kegs

Enhance Hygiene | Safety | Brand Identity



- STICKER
- PAD PRINTING
- IML LABELING

Custom Printing Option
Available*

Keg Seal Cap



**Tamper
Evident**

C2191 - A System **Keg Cap**

C2188 - S System **Keg Cap**

C2188 - D System **Keg Cap**

C2192 - G System **Keg Cap**



Made from 100% Recyclable Material.
Choose Different color for Different Type of Beer.
Stop Beer Theft During Transit.
Available in Various Colors.


**Custom Printing Option
Available***

*MOQ Applicable

Our Installations



We Export Globally



Few of Our Prestigious Clients



**INDIA**

Krome Dispense Pvt. Ltd., Jalandhar - Pathankot Road,
Opposite Mex Switchgear, Jalandhar, Punjab, India

USA

Krome USA Inc., 3482 Keith Bridge Road # 298
Cumming GA 30041

Email Us To Know Our Distributor Near You :-
Info@kromedispense.com or Call 91754-00006

For More Products Visit:- www.kromedispense.com
Call : 678 666 2001