


Krome dispense



2026-27









About Us

Founded in 1999, Krome Dispense Pvt. Ltd. builds on a family legacy of manufacturing that began in 1966. From plumbing products to precision beer dispense solutions, the journey reflects decades of craftsmanship and innovation. With advanced CNC machining, robotic finishing, and strong quality systems, Krome has grown into a trusted partner for brewers worldwide. Today, the brand serves over 20 international markets, combining family heritage with modern technology to deliver reliable, customer-focused beverage dispensing equipment.

300+
Employees

2000+
Products

20+
Partners Globally



Quality You Can Trust

At
Krome Dispense, all products are manufactured in facilities that meet the highest international standards for safety and quality.



NSF CERTIFIED

Compliant with global public health and sanitation standards.

ISO CERTIFIED

ISO 9001:2015 Certified Quality Management System

We are committed to delivering reliable, food-safe components trusted by professionals worldwide.

Beer Dispensing System ---------- 06-09

Beer Coolers ---------- 10-42

Beer Towers ---------- 43-57

Drip Trays ---------- 58-60

Customize Medallions ---------- 61

Beer Taps ---------- 62-65

Python Tubing ---------- 66

Keg Couplers ---------- 67-70

Quick Connectors ---------- 71

Gas Co2 Regulators ---------- 72-76

High-Pressure Co2 Hoses ---------- 77

Cleaning Bottle ---------- 78

Beer Tap Handles ---------- 80


Keg Seal Cap ---------- 81-82



Our commitment to every drop of


BEER DISPENSE

BEER DISPENSING SYSTEM



Complete Beer Dispense Solution From

Beer Keg to Glass



1 TAP BEER DISPENSING SYSTEM



C2025
ALL FITTINGS INCLUDED

Part #	Product Name
C553	3" Column Tower with 1 Flow Control Tap
C1572	Under Counter Beer Cooler
C611	Surface Drip Tray 6"x5" Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2025	Installation Kit for 1 beer line




2 TAP BEER DISPENSING SYSTEM



C2026
ALL FITTINGS INCLUDED

Part #	Product Name
C1392	Economy T Tower with 2 Flow Control Taps- SS Polished-Glycol Recirculation Loop
C1572-2	Under Counter Beer Cooler
C642	12″ x 7″ Aluminium Surface Drip Tray – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2026	Installation Kit for 1 beer line



3 TAP BEER DISPENSING SYSTEM



C2028
ALL FITTINGS INCLUDED

Part #	Product Name
C1383	Economy 3″ T Tower with 3 Flow Control Taps & Illumination- SS Polished- Glycol Recirculation Loop
C1572-3	Under Counter Beer Cooler
C4027	24″ x 7″ Surface Drip Tray – Brushed Stainless – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2028	Installation Kit for 3 beer line



4 TAP BEER DISPENSING SYSTEM



C2027
ALL FITTINGS INCLUDED

Part #	Product Name
C1384	Economy 3″ T Tower with 4 Flow Control Taps & Illumination- SS Polished- Glycol Recirculation Loop
C1572-4	Under Counter Beer Cooler
C4027	24″ x 7″ Surface Drip Tray – Brushed Stainless – Without Drain
C723	A System Keg Coupler with PRV
C2197	50 Litre Stainless Steel Fat Beer Keg - A System
C2198	20 Ltr Slim Keg with extracted Tube - A System
C2027	Installation Kit for 4 beer line




25+ YEARS OF EXPERTISE

KROME GREENOVATION

NATURE SERIES

BEER COOLING PERFORMANCE

Efficient | Durable | Built for Commercial Use



Models Overview

VERTICAL - Under Counter Beer Coolers

TROPICAL SERIES







ECOLINE SERIES







Nature	Nature	Nature	Nature	Nature
80LPH	**115LPH**	**135LPH**	**160LPH**	**250LPH**

Models Overview

HORIZONTAL - Under Counter Beer Coolers

TROPICAL SERIES



ECOLINE SERIES



Nature	Nature	Nature	Nature	Nature
80LPH	**115LPH**	**135LPH**	**160LPH**	**250LPH**

Models Overview

Integrated Over Counter Beer Coolers

TROPICAL SERIES

TOP SERVE

Nature
40LPH

RISE 1



TROPICAL SERIES

TOP SERVE

Nature
115LPH

SOLO



DUO



TRIO



TROPICAL SERIES

TOP SERVE

Nature
135LPH

SOLO



Models Overview

Integrated Draft Beer Mobile Coolers

TROPICAL SERIES

TOP SERVE

Nature
135LPH






Beer Coolers



FLASH BEER CHILLER



CE Approved

- Under Counter Model
- Plug & Play Parts
- Option in Stainless Steel Body & Colored Body

Vertical-Under Counter Beer Cooler

ECOLINE SERIES | **Powder Coated** Steel Body | **1MM SKIN** PLATE



Nature
80LPH



Nature
115LPH



Nature
135LPH

Part # Model No.	C1472-EL	C1572-EL	C1672HP-EL
Ltr/hr	80	115	135
No. of Coils	1 - 4	1 - 6	1 - 8
Refrigerant	R290	R290	R290
Compressor Power	1/5 HP	1/3 HP	1/2 HP
Dimensions (L×W×H)	360x360x670mm	400x400x755mm	465x465x830mm
Coil Length	16 mm	16 mm	16 mm
Water Tank Capacity(L)	18	32	50
Ice Bank	8 Kg	14 Kg	25 Kg
Thermostat	Manual	Manual	Manual
Body Material	Galvanized Iron	Galvanized Iron	Galvanized Iron
Caster Wheels	Included	Included	Included

Also Available in
Digital Thermostat

Vertical-Under Counter Beer Cooler

ECOLINE SERIES | **Powder Coated** Steel Body | **1MM SKIN** PLATE



Nature
160LPH



Nature
250LPH

Part # Model No.	C1772-EL	C1872-EL
Ltr/hr	160	250
No. of Coils	1 - 10	1 - 12
Refrigerant	R290	R290
Compressor Power	3/4 HP	1 HP
Dimensions (L×W×H)	560x560x820mm	608x643x978mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	77	100
Ice Bank	34 Kg	40 Kg
Thermostat	Manual	Manual
Body Material	Galvanized Iron	Galvanized Iron
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

Horizontal-Under Counter Beer Cooler

ECO LINE SERIES | **Powder Coated** Steel Body | **1MM SKIN** PLATE







Nature 80LPH

Nature 115LPH

Nature 135LPH

Part # Model No.	C1468-EL	C1568-EL	C1668HP-EL
Ltr/hr	80	115	135
No. of Coils	1 - 4	1 - 6	1 - 7
Refrigerant	R290	R290	R290
Compressor Power	1/5 HP	1/3 HP	1/2 HP
Dimensions (L×W×H)	560x360x470mm	602x405x515mm	668x473x550mm
Coil Length	16 mm	16 mm	16 mm
Water Tank Capacity(L)	18	32	50
Ice Bank	8 Kg	14 Kg	25 Kg
Thermostat	Manual	Manual	Manual
Body Material	Galvanized Iron	Galvanized Iron	Galvanized Iron
Caster Wheels	Included	Included	Included

Also Available in
Digital Thermostat

Horizontal-Under Counter Beer Cooler

ECO LINE SERIES | **Powder Coated** Steel Body | **1MM SKIN** PLATE





Nature
160LPH

Nature
250LPH

Part # Model No.	C1768-EL	C1868-EL
Ltr/hr	160	250
No. of Coils	1 - 10	1 - 12
Refrigerant	R290	R290
Compressor Power	3/4 HP	1 HP
Dimensions (L×W×H)	780x560x560mm	600x853x655mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	77	100
Ice Bank	34 Kg	40 Kg
Thermostat	Manual	Manual
Body Material	Galvanized Iron	Galvanized Iron
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

Vertical-Under Counter Beer Cooler

TROPICAL | SS Body



Nature
80LPH



Nature
115LPH



Nature
135LPH

Part # Model No.	C1472	C1572	C1672HP
Ltr/hr	80	115	135
No. of Coils	1 - 4	1 - 6	1 - 8
Refrigerant	R290	R290	R290
Compressor Power	1/5 HP	1/3 HP	1/2 HP
Dimensions (L×W×H)	360x360x670mm	400x400x755mm	465x465x830mm
Coil Length	16 mm	16 mm	16 mm
Water Tank Capacity(L)	18	32	50
Ice Bank	8 Kg	14 Kg	25 Kg
Thermostat	Manual	Manual	Manual
Body Material	Stainless Steel	Stainless Steel	Stainless Steel
Caster Wheels	Included	Included	Included

Also Available in
Digital Thermostat

Vertical-Under Counter Beer Cooler

TROPICAL | SS Body





Nature
160LPH

Nature
250LPH

Part # Model No.	C1772	C1872
Ltr/hr	160	250
No. of Coils	1 - 10	1 - 12
Refrigerant	R290	R290
Compressor Power	3/4 HP	1 HP
Dimensions (L×W×H)	560x560x820mm	608x643x978mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	77	100
Ice Bank	34 Kg	40 Kg
Thermostat	Manual	Manual
Body Material	Stainless Steel	Stainless Steel
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

Horizontal-Under Counter Beer Cooler

TROPICAL | SS Body







Nature 80LPH

Nature 115LPH

Nature 135LPH

Part # Model No.	C1468	C1568	C1668HP
Ltr/hr	80	115	135
No. of Coils	1 - 4	1 - 6	1 - 7
Refrigerant	R290	R290	R290
Compressor Power	1/5 HP	1/3 HP	1/2 HP
Dimensions (L×W×H)	560x360x470mm	602x405x515mm	668x473x550mm
Coil Length	16 mm	16 mm	16 mm
Water Tank Capacity(L)	18	32	50
Ice Bank	8 Kg	14 Kg	25 Kg
Thermostat	Manual	Manual	Manual
Body Material	Stainless Steel	Stainless Steel	Stainless Steel
Caster Wheels	Included	Included	Included

Also Available in
Digital Thermostat

Horizontal-Under Counter Beer Cooler

TROPICAL | SS Body





Nature
160LPH

Nature
250LPH

Part # Model No.	C1768	C1868
Ltr/hr	160	250
No. of Coils	1 - 10	1 - 12
Refrigerant	R290	R290
Compressor Power	3/4 HP	1 HP
Dimensions (L×W×H)	780x560x560mm	600x853x655mm
Coil Length	16 mm	16 mm
Water Tank Capacity(L)	77	100
Ice Bank	34 Kg	40 Kg
Thermostat	Manual	Manual
Body Material	Stainless Steel	Stainless Steel
Caster Wheels	Included	Included

Also Available in
Digital Thermostat

TROPICAL SERIES | SS Body

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE

Copper Evaporator

30-40



C1472
KE - 80V-290
Under Counter Beer Cooler

C1472-EL
KE - 80V-290
Under Counter Beer Cooler



Vertical Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 4**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	18L
Ice Bank Capacity	8 Kg
Compressor Power Rating	1/5 HP
Standard Agitator Pump Lift	5.8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	4.8 kWh
Overall Height (Including Pump)	670mm
Dimensions (L × W)	360 × 360 mm
Net Weight (Without Coils)	30 Kg
Maximum Number of Coils (15/20 m each)	2
Maximum Coils (including 10 m coils)	4
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 4
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS Optional Stainless Steel Evaporator

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1572
KE - 115V-290
Under Counter Beer Cooler

Copper Evaporator

50-60

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1572-EL
KE - 115V-290
Under Counter Beer Cooler

Vertical Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 6**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	32L
Ice Bank Capacity	14 Kg
Compressor Power Rating	1/3 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	3.6 kWh
Overall Height (Including Pump)	755mm
Dimensions (L × W)	400 × 400 mm
Net Weight (Without Coils)	35 Kg
Maximum Number of Coils (16/20 m each)	3
Maximum Coils (including 11 m coils)	6
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 6
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

- **WW = Without Wheels**
- **D = Digital Thermostat**
- **Plug Types: E, F, J, K, L, UK(G), TH(O)**
- **RA = Reverse Air Flow**
- **EV SS** — **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1672HP
KE-135V-290

Under Counter Beer Cooler

Copper Evaporator

80-90

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1672HP-EL
KE-135V-290

Under Counter Beer Cooler

Vertical Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 8**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/2 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	5.4 kWh
Overall Height (Including Pump)	830mm
Dimensions (L × W)	465 × 465 mm
Net Weight (Without Coils)	42 Kg
Maximum Number of Coils (16/20 m each)	5
Maximum Coils (including 11 m coils)	7
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 8
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m / 18m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1772

KE-160V-290

Under Counter Beer Cooler

Copper Evaporator

125-150

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1772-EL

KE-160V-290

Under Counter Beer Cooler

Vertical Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 10**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	77L
Ice Bank Capacity	34 Kg
Compressor Power Rating	3/4 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	5.5 kWh
Overall Height (Including Pump)	820mm
Dimensions (L × W)	560 × 560 mm
Net Weight (Without Coils)	48 Kg
Maximum Number of Coils (15/20 m each)	7
Maximum Coils (including 10 m coils)	10
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 10
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS Optional Stainless Steel Evaporator

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified



TROPICAL SERIES

SS Body

Copper Evaporator

125-150

C1872
KE-250V-290
Under Counter Beer Cooler

ECOLINE SERIES

Powder Coated Steel Body

1MM SKIN PLATE

C1872-EL
KE-250V-290
Under Counter Beer Cooler



Vertical Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 12**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	100L
Ice Bank Capacity	40 Kg
Compressor Power Rating	1 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Cooling Power of Compressor	2360 W
Overall Height (Including Pump)	978mm
Dimensions (L × W)	608 × 643 mm
Net Weight (Without Coils)	72 Kg
Maximum Number of Coils (15/20 m each)	7
Maximum Coils (including 10 m coils)	12
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 12
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12 - 18 m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.
This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1468

KE - 80H-290

Under Counter Beer Cooler

Copper Evaporator

30-40

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1468-EL

KE - 80H-290

Under Counter Beer Cooler

Horizontal Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 4**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	18L
Ice Bank Capacity	8 Kg
Compressor Power Rating	1/5 HP
Standard Agitator Pump Lift	5.8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	4.8 kWh
Overall Height (Including Pump)	470mm
Dimensions (L × W)	560 × 360 mm
Net Weight (Without Coils)	30 Kg
Maximum Number of Coils (15/20 m each)	2
Maximum Coils (including 10 m coils)	4
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 4
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1568

KE-115H-290

Under Counter Beer Cooler

Copper Evaporator

50-60

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1568-EL

KE-115H-290

Under Counter Beer Cooler

Horizontal Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 6**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	32L
Ice Bank Capacity	14 Kg
Compressor Power Rating	1/3 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	3.6 kWh
Overall Height (Including Pump)	515 mm
Dimensions (L × W)	602 × 405 mm
Net Weight (Without Coils)	37 Kg
Maximum Number of Coils (15/20 m each)	3
Maximum Coils (including 10 m coils)	6
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 6
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1668HP

KE-135H-290

Under Counter Beer Cooler

Copper Evaporator

80-90

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1668HP-EL

KE-135H-290

Under Counter Beer Cooler

Horizontal Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 7**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/2 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	5.4 kWh
Overall Height (Including Pump)	550 mm
Dimensions (L × W)	668 × 473 mm
Net Weight (Without Coils)	44 Kg
Maximum Number of Coils (16/20 m each)	5
Maximum Coils (including 11 m coils)	7
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 7
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m / 18m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



C1768

KE-160H-290

Under Counter Beer Cooler

Copper Evaporator

125-150

ECO LINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1768-EL

KE-160H-290

Under Counter Beer Cooler

Horizontal Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 10**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	77L
Ice Bank Capacity	34 Kg
Compressor Power Rating	3/4 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	5.5 kWh
Overall Height (Including Pump)	560mm
Dimensions (L × W)	780 × 560 mm
Net Weight (Without Coils)	50 Kg
Maximum Number of Coils (15/20 m each)	7
Maximum Coils (including 10 m coils)	10
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 10
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body



Copper Evaporator

125-150

C1868
KE-250H-290
Under Counter Beer Cooler

ECOLINE SERIES | Powder Coated Steel Body | 1MM SKIN PLATE



C1868-EL
KE-250H-290
Under Counter Beer Cooler

Horizontal Coolers

Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1 - 12**
Casters + Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	100L
Ice Bank Capacity	40 Kg
Compressor Power Rating	1 HP
Standard Agitator Pump Lift	8 m
Thermostat	Manual
Performance & Power Consumption	
Average Daily Power Consumption (Standby)	2360 W
Overall Height (Including Pump)	655mm
Dimensions (L × W)	600 × 853 mm
Net Weight (Without Coils)	74 Kg
Maximum Number of Coils (15/20 m each)	7
Maximum Coils (including 10 m coils)	12
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Plug Options	E, F, J, K, L, UK(G), TH(O)
Optional Features	
Number of Coils	Upto - 12
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	5 x 6, 7 × 8 mm
Thermostat Options	Digital
Compressor Brand	EMBRACO
Enhanced pump	12 - 18 m

Available Configuration Options:

WW = Without Wheels

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

EV SS **Optional Stainless Steel Evaporator**

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

Integrated Over Counter Beer Cooler

TROPICAL | Copper Evaporator | SS Body | 40-50 | Brushed Stainless

Nature 40



TOP SERVE RISE 1

Part # Model No.	C1461x1
Ltr/hr	40
No. of Coils	1-2
Refrigerant	R290
Compressor Power	1/5 HP
Dimensions (L×W×H)	450x482x300mm
Water Tank Capacity(L)	15L
Ice Bank	7 Kg
Thermostat	Digital
Body Material	Stainless Steel
Leveling Feet	Included

Integrated Over Counter Beer Cooler

TROPICAL | Copper Evaporator | SS Body | 40-50 | Brushed Stainless

Nature 115



TOP SERVE

	SOLO	DUO	TRIO
Part # Model No.	C1594x1-RA	C1594x2-RA	C1594x3-RA
Ltr/hr	115	115	115
No. of Coils	1	2	3
Refrigerant	R290	R290	R290
Compressor Power	1/3 HP	1/3 HP	1/3 HP
Dimensions (L×W×H)	410x570x450mm	410x570x450mm	410x570x450mm
Coil Length	20 m	20 m	20 m
Water Tank Capacity(L)	35L	35L	35L
Ice Bank	15-18 Kg	15-18 Kg	15-18 Kg
Thermostat	Manual	Manual	Manual
Body Material	Stainless Steel	Stainless Steel	Stainless Steel
Leveling Feet	Included	Included	Included



Illuminated

120mm

Integrated Over Counter Beer Cooler

TROPICAL | Copper Evaporator | SS Body | 40-50 | Brushed Stainless

Nature 135



TOP SERVE



Illuminated

120mm

SOLO

Part # Model No.	C1694x1-RA
Ltr/hr	135
No. of Coils	1-3
Refrigerant	R290
Compressor Power	1/2 HP
Dimensions (L×W×H)	473x670x520mm
Coil Length	20 m
Water Tank Capacity(L)	50L
Ice Bank	25 Kg
Thermostat	Manual
Body Material	Stainless Steel
Leveling Feet	Included

TROPICAL SERIES | SS Body



C1461X1

TOP SERVE RISE 1

Over Counter Beer Cooler

Copper Evaporator

40-50

Brushed Stainless

Horizontal Coolers

Model Number	**C1461x1**
Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1-2**
Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	15L
Ice Bank Capacity	7 Kg
Compressor Power Rating	1/5 HP
Thermostat	Digital
Performance & Power Consumption	
Max Power Absorption	360W
Dimensions (L × W x H) (Without tower)	450 × 482 mm x 300mm
Maximum Number of Coils	1 - 2
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Compressor Brand	EMBRACO
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	6 × 5 mm
Plug Options	E, F, J, K, L, UK(G), TH(O)

Available Configuration Options:

Plug Types:
E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

TROPICAL SERIES | SS Body

C1594x1-RA

SOLO TOP SERVE 115

Over Counter Beer Cooler



Copper Evaporator

40-50

Brushed Stainless



Illuminated

120mm

Horizontal Coolers

Model Number	**C1594x1-RA**
Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1**
Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	35L
Ice Bank Capacity	15-18 Kg
Compressor Power Rating	1/3 HP
Thermostat	Manual
Performance & Power Consumption	
Max Power Absorption	360W
Dimensions (L × W x H)	410 × 570 mm x 450mm
Maximum Number of Coils (20 m each)	1
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Compressor Brand	EMBRACO
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 × 8 mm
Thermostat Options	Digital (with Protection)
Plug Options	E, F, J, K, L, UK(G), TH(O)

Available Configuration Options:

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

NATURE SERIES

Krome dispense

TROPICAL SERIES | SS Body



C1694HPx1-RA

SOLO TOP SERVE 135

Over Counter Beer Cooler

Copper Evaporator

40-50

Brushed Stainless

Illuminated

120mm



Horizontal Coolers

Model Number	**C1694HPx1-RA**
Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1-3**
Leveling Feet	**Included**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Compressor Power Rating	1/2 HP
Thermostat	Manual
Performance & Power Consumption	
Max Power Absorption	5.4 kwh
Dimensions (L × W x H)	473 × 670 mm x 520mm
Maximum Number of Coils (20 m each)	1 - 3
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz or 115V, 50/60 Hz
Compressor Brand	EMBRACO
Coil Inlet/Outlet Type	Basic (tube cut) or JG Push-in fitting [optional]
Coil Diameter	7 × 8 mm
Thermostat Options	Digital (with Protection)
Plug Options	E, F, J, K, L, UK(G), TH(O)

Available Configuration Options:

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

RA = Reverse Air Flow

Base Item number includes basic machine only. Separate item numbers: coils and plug.

This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

ISO 9001 Certified

Integrated Draft Beer Mobile Cooler

TROPICAL | Copper Evaporator | SS Body | 80-90



NATURE ONE

Part # Model No.	C1674x1	C1674x2
Ltr/hr	135	135
No. of Coils	1	2
Refrigerant	R290	R290
Compressor Power	1/3+ HP	1/3+ HP
Dimensions (L×W×H)	465x565x1285mm	465x565x1285mm
Coil Length	20 m	20 m
Water Tank Capacity(L)	50L	50L
Ice Bank	25 Kg	25 Kg
Thermostat	Manual	Manual
Body Material	Stainless Steel	Stainless Steel
Caster Lockable Wheels	Included	Included



C4997-JG
A System Keg Coupler Included



C870-HPH
Co2 Regulator & High pressure Hose Included



Power Stabilizer Integrated



Brushed Stainless



Caster Lockable-
4 Wheels / 2 Lockable

TROPICAL SERIES | SS Body



NATURE ONE

Integrated Draft Beer Mobile Cooler

Copper Evaporator

80-90

Brushed Stainless

Caster Lockable-
4 Wheels / 2 Lockable



C4997-JG
A System Keg Coupler Included



C870-HPH
Co2 Regulator & High pressure Hose Included

Power Stabilizer Integrated

Vertical Coolers

Model Number	**C1674x1**
Beverage Type	**Beer / Wine**
Refrigerant Gas	**R290**
Number of Lines	**1**
General Data Sheet Specification Value	
Water Tank Capacity (Net)	50L
Ice Bank Capacity	25 Kg
Litre Per Hour (LPH)	135
Compressor Power Rating	1/3+ HP
Standard Agitator Pump Lift	8m (Italian)
Thermostat	Manual (with)
Performance & Power Consumption	
Cooling Power Performance	895W
Beverage Temperature IN/OUT	+24 °C / +4 °C
Dimensions (L × W x H)	465 x 565 x 1285mm
Maximum Number of Coils (20 m each)	1
Available Versions	
Electric Supply Options	220–240V AC, 50/60 Hz- Stablized Power
Compressor Brand	EMBRACO
Outlet	Snake Mini LED
Coil Diameter	7 × 8 mm
Thermostat Options	Digital
Plug Options	E, F, J, K, L, UK(G), TH(O)

Available Configuration Options:

D = Digital Thermostat

Plug Types: E, F, J, K, L, UK(G), TH(O)

Base Item number includes basic machine only. Separate item numbers: coils and plug.
This is an all-comprehensive list of all possible features, that are already technically feasible. Not all the combinations of these features (not each configuration) is already present in stock and in the price list. Reference can be found in the price list.

*** MOQ Applies***

BEER TOWERS



THE BIG FOUR Series

Models Overview



EPIC
BEER
TOWER



MAMBA
BEER
TOWER



SUPERB
BEER
TOWER



NEW

MATT BLACK
WING STYLE
BRIDGE TOWERS



INK PEN
TOWERS



CEILING MOUNT
WING STYLE
BRIDGE TOWERS



CEILING MOUNT
BRIDGE TOWERS



3" ECONOMY BRIDGE
TOWERS



4" BRIDGE
TOWERS

Models Overview



SHARP HEAD
TOWER



COLUMN BEER
TOWER



SUBLIME
TOWER



CLAMP -ON
TOWER




FLEXIBACK
TOWERS



T TOWERS



3" ECONOMY T
TOWERS



WALL MOUNT
BRIDGE TOWERS



WING STYLE
BRIDGE TOWER

Pre-Design / Bespoke - Towers

Shaping products with your ideas – Bespoke



WE ADD VALUE
TO BEER BRANDS

DESIGN • DEVELOP • DELIVER

Design Center – Bespoke Products

At Krome, we design innovative, customizable products tailored in shape, finish, and lighting to match your style.Our expert team creates elegant, brand-focused solutions for beer towers, tap handles, and medallions.

So, what's the bespoke font you fancy? Tell us by filling out a form here and we'll shape it for you.

Scan QR Code to fill the form

Customize... Go beyond the usual... Mix and match for your unique product..

- Innovative or standard beer towers with 1+ faucets
- Surface, wall, or ceiling mounting
- Multiple colors and finishes: SS, Chrome, Copper , PVD, Matte
- Optional illumination for ambiance

Beer Towers



EPIC TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop









COLOR & FINISHES AVAILABLE:






SUPERB TOWER


SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop & Air Cooled









COLOR & FINISHES AVAILABLE:



Beer Towers



SHARP HEAD TOWER

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome PVD Gold



3" ECONOMY COLUMN TOWER

SPECIFICATIONS:

Material:	Stainless Steel
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome

Beer Towers



ANTHINA SLIM TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome



SUBLIME TOWER

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:



Chrome

Beer Towers




3" ECONOMY T TOWER

SPECIFICATIONS:

Material:	Stainless Steel
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:







3" ECONOMY ELBOW TOWER

SPECIFICATIONS:

Material:	Stainless Steel
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Beer Towers



3" ECONOMY BRIDGE TOWER

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:






4" BRIDGE TOWER

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus



COLOR & FINISHES AVAILABLE:




Beer Towers



WING STYLE BRIDGE TOWER

SPECIFICATIONS:

Material:	Stainless Steel
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Screw Mount
Cooling Technology:	Glycol Recirculation Loop Plus & Air Coooled



COLOR & FINISHES AVAILABLE:



Chrome Brushed Brushed Copper

Beer Towers




CRUISE TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus









COLOR & FINISHES AVAILABLE:



Chrome



INSPIRE TOWER

SPECIFICATIONS:

Material:	Brass
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop Plus & Air Cooled











COLOR & FINISHES AVAILABLE:



Chrome PVD Gold

Beer Towers

FLEXIBACK TOWER



UNBRANDED




Flexibility to Customize Backside

BRANDED

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome


Beer Towers

THE BIG POUR SERIES



SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Powder Coated

Painted
(Color Option)



120mm
LARGE BRANDING


Beer Towers

Flexiback FROZEN



SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop



COLOR & FINISHES AVAILABLE:



Chrome



120mm
LARGE BRANDING

COLUMN
BEER TOWER



C1504

SPECIFICATIONS:

Material:	Stainless Steel 304
Beer Line Tubing:	8 OD x 7 ID SS 304 Tube(mm)
Mounting:	Through Counter
Cooling Technology:	Glycol Recirculation Loop









COLOR & FINISHES AVAILABLE:



Chrome



OVAL
LENS MEDALLION

All drip trays are made from

Stainless Steel 304



Drip Trays With Glass Rinser



NSF Rinser Only

SIDE SPRAY GLASS RINSER DRIP TRAY WITH PLASTIC DISK

Part #	Size	Material
C465	10 X7"	Stainless Steel 304
C466	15" X 7"	Stainless Steel 304
C359	20" X 7"	Stainless Steel 304
C460	24" X7"	Stainless Steel 304
C461	30" X7"	Stainless Steel 304
C462	36" X7"	Stainless Steel 304
C463	45" X7"	Stainless Steel 304
C463-60	60" X7"	Stainless Steel 304


Also Available In

Stainless Steel DISK

Platform/ Plinth Drip trays

With & Without Glass rinser






C063R C063

400X400mm

EUROPEAN STYLE PLINTH / PLATFORM DRIP TRAYS - WITH AND WITHOUT GLASS RINSER

Part No.	C063R	C063
Size (LxW)	15.75" x 15.75"	15.75" x 15.75"
Type	With Rinser (Drain Included)	Without Rinser (Drain Included)
Material	Stainless Steel 304	Stainless Steel 304
Finish	SS Polished	SS Polished



C4064R C4064

400X600mm

EUROPEAN STYLE PLINTH / PLATFORM DRIP TRAYS - WITH AND WITHOUT GLASS RINSER

Part No.	C4064R	C4064
Size (LxW)	15.75" x 23.62"	15.75" x 23.62"
Type	With Rinser (Drain Included)	Without Rinser (Drain Included)
Material	Stainless Steel 304	Stainless Steel 304
Finish	SS Polished	SS Polished

Customized Medallions





9.50mm



17.12mm



17.12mm



15.80mm



Clear Fish Eye Medallion
80mm



Clear Frog Eye Medallion
80mm



Clear Turtle Eye Medallion
81mm



Clear Fish Eye Medallion
120mm

ILLUMINATED CUSTOM BRANDING





Beer Taps

We Know Taps

C254 CLASSIC FLOW CONTROL Taps



- SS Spout
- Chrome Plated
- Superior Flow Control.
- Reduces spillage of beer.
- Made of heavy duty metal
- Dispenses multiple beer styles

Also Available In

PVD Gold
Fininsh

Beer Taps

NEW


C3024

FORWARD SEALING TAP

Free Flow



100% STAINLESS STEEL



S.No.	Part Name	Part No.
1	Forward Sealing Faucet	C3024.01
2	US Lever	C230
3	Coupling Gasket	C201.07
4	Teflon Washer	C201.06
5	Lever Friction Rubber Washer	C201.05
6	Bonnet	C201.04
7	Collar Nut	C201.03
8	Forward Sealing Shaft	C3024.02
9	Seat O-Ring	C3024.03
10	Forward Sealing Spout SS	C3024.04
11	Spout Washer	C3024.04



REPAIR KIT FOR FORWARD SEALING TAP


Part # C2494

Beer Taps



C3023 FORWARD SEALING TAP

With Flow Control





FORWARD SEALING GROWLER SPOUT BODY

Part No.	**C843**
Thread	3/8" x 19 BSP
Material	Stainless Steel 304





FORWARD SEALING STOUT SPOUT

Part No.	**C1712**
Thread	3/8" x 19 BSP
Material	Stainless Steel 304





BALL LOCK QUICK DISCONNECT (QD) SPOUT

Part No.	**C1713**
Thread	3/8" x 19 BSP
Material	Stainless Steel 304





REPAIR KIT FOR FLOW CONTROL FORWARD SEALING TAP

Part No.	**C2493**

S.No.	Part Name	Part No.
1	Forward Sealing Body - FC	C3023.01
2	US Lever	C230
3	Coupling Gasket	C201.07
4	Teflon Washer	C201.06
5	Lever Friction Rubber Washer	C201.05
6	Bonnet	C201.04
7	Collar Nut	C201.03
8	Forward Sealing Spout SS	C3024.04
9	Forward Sealing Washer	C3023.04
10	Forward Sealing Compensator	C3023.02
11	European Flow Control O-Ring	C254.27
12	Tank Plug O-Ring	C970.02
13	Shaft and O-Ring	C3023.50
14	Spindle	C3023.51

Beer Taps

C3075
Pull Down Beer Tap
With John Guest fitting

- SS Spout
- Chrome Plated
- John Guest fitting 3/16"






C203
Standard Beer Faucet
US Type

- Stainless Steel 304
- SS Polished

- Body material – SS 304 grade; Shaft assembly – SS 303 grade.
- Safe to use without giving any off flavours to the beer.
- Designed to dispense many different styles of beer

BEST IN CLASS

PYTHON TUBING





PYTHON CLAMP

Part #	Product Name
C070	Python Clamp

PYTHON TUBING

Part #	Product Name
C2261	Python Tubing for 2 Beer Lines
C2262	Python Tubing for 3 Beer Lines
C2263	Python Tubing for 4 Beer Lines
C2264	Python Tubing for 6 Beer Lines
C2265	Python Tubing for 10 Beer Lines
C2266	Python Tubing for 5 Beer Lines
C2267	Python Tubing for 8 Beer Lines
C2268	Python Tubing for 8 Beer Lines + 4 Recirculation Lines
C2269	Python Tubing for 6 Beer Lines + 4 Recirculation Lines
C2260	Python Tubing for 10 Beer Lines + 4 Recirculation Lines

Keg Coupler





A COUPLER



G COUPLER



U COUPLER



M COUPLER




D COUPLER




S COUPLER

Coupler Handles



FLAT HANDLE



EAGLE HANDLE

Get Coupler With Your Beer Branding





Your Beer Brand Here





Your Beer Brand Here

Keg Coupler

A TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C716	SS 304	BRASS	5/8"x14 BSP	3/4"x14 BSP	No	Eagle
C723	SS 304	BRASS	5/8"x14 BSP	5/16" Tailpiece	Yes	Eagle
C724	SS 304	BRASS	5/8"x14 BSP	5/8"x14 BSP	No	Eagle
C6003	SS 304	BRASS	5/8"x14 BSP	5/8"x14 BSP	Yes	Eagle
C4998	SS 304	AISI 304	5/8"x14 BSP	3/8" JG	No	Flat
C4997-JG	SS 304	AISI 304	3/8"JG	5/16" JG	No	Flat



G TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C715	SS 304	BRASS	1/2"x14 BSP	5/16" Tailpiece	Yes	Eagle
C5002	SS 304	BRASS	5/8"x14 BSP	1/4" Barb	No	Eagle
C840	SS 316	AISI 304	1/2"x14 BSP	1/2"x14 BSP	No	Flat


C715

S TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C704-EU	SS 304	SS 304	5/8" JG	5/8" JG	Yes	Eagle
C747	SS 316	SS 304	1/2"x14 BSP	1/2"x14 BSP	No	Flat
C747-JG	SS 316	SS 304	3/8" JG	5/16" JG	No	Flat
C747-JG2	SS 316	SS 304	3/8" JG	3/8" JG	No	Flat



Keg Coupler

U TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C5012	SS 304	SS 304	1/2"x14 BSP	1/2"x14 BSP	No	Eagle



C5012

D TYPE

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C009-EU-12	SS 304	BRASS	5/8”x14 BSP	1/2"	No	Eagle
C009-EU-12-12	SS 304	BRASS	1/2”x14 BSP	1/2"	No	Eagle
C009-EU-34	SS 304	BRASS	5/8”x14 BSP	3/4"	No	Eagle



C009-EU-12

Keg Key

Part #	Probe Material	Body Material	Outlet Connection	Gas Inlet	PRV	Handle
C5003	SS 304	BRASS	5/8”x14 BSP	5/16" Tailpiece	No	Eagle
C5017	SS 304	BRASS	5/8”x14 BSP	5/16" Tailpiece	Yes	Eagle
C5017-JG	SS 304	BRASS	3/16”JG	3/16”JG	Yes	Eagle
C5017-JG-516	SS 304	BRASS	3/8”JG	5/16”JG	Yes	Eagle



C5003

Quick Connectors



High Performance **JG Fittings** For quick, secure and leak free connections

WIDE RANGE OF JG FITTINGS












PRECISION+
Co2 GAS REGULATOR





- **Forged Brass Body**
- **More Precise**
- **UL- Certified Gauges**
- **Interchangeable Spare Parts**

PRECISION+
GAS Co2 REGULATOR




C2971

S.No.	Part Name
1	0-4500 PSI Gas Regulator Gauge
2	Co2 Gas Regulator Gauge upto 60 PSI
3	Aluminum Gas Distributor Check Valve
4	Repair Kit for Precision Plus Regulator
5	Co2 Nut-USA for Precision Plus Regulator
6	Co2 Inlet Stem
7	Inlet Co2 Filter
8	Inlet Seal Retaining Nut
9	Nylon Co2 Inlet Seal

Scan QR Code to watch

PRECISION+
Co2 GAS REGULATOR

PRIMARY



Primary Precision + Co_2 Gas Regulator



C2971



C2971-CV



C2962

Secondary Precision + Co_2 Gas Regulator



C3873



C3870



C3871

High-Pressure CO_2 Hoses



Hose Length: 6.5' feet Hose
Material: ABS
Inlet Options: W21.8X14 / CGA320
Max Pressure: 1900 Psi

Option Available:

Part #	Material	Hose Length	Inlet	Outlet	Max Pressure
C5523	ABS	6.5 Feet	W21.8X14	1/4"X19BSP	1900Psi
C749	ABS	6.5 Feet	CGA320	1/4"X19BSP	1900Psi

Features:

- High-quality construction
- Long Service Life
- Compatible Fittings
- Polished, strong exterior
- Cold-temperature Resistance
- Premium brass rubber build
- Safe for high-pressure CO_2 only
- Designed for use with Club Cannon



NEW




5 Liter
Beer Line
Cleaning Bottle

Stainless Steel Head



Interchangeable Spears



PRESSURIZED CLEANING BOTTLES

Part #	Capacity	Suitable for	Bottle Material	Max Pressure
C2221	5 Liters	A	Polyethylene	65 PSI
C2223	5 Liters	S	Polyethylene	65 PSI
C2224	5 Liters	D	Polyethylene	65 PSI
C2226	5 Liters	G	Polyethylene	65 PSI
C2227	5 Liters	U	Polyethylene	65 PSI
C2232	5 Liters	KEY KEG	Polyethylene	65 PSI

Gas Cylinder Holder







C548



C549

GAS CYLINDER HOLDER

Part #	Product Name
C548	Co2 Gas Cylinder Holder (For One Cylinder)
C549	CO2 Gas Cylinder Holder (For Two Cylinder)

BEER TAP HANDLES

Premium quality tap handles designed for style, comfort and durability.

PREMIUM QUALITY
Crafted from high quality materials for long lasting performance.

COMFORT GRIP
Ergonomically designed for smooth operation and a comfortable hold.

STYLISH DESIGNS
Modern finishes to match any bar setup and elevate your presentation.



C3527

AVAILABLE OPTIONS



C3517
Stainless Steel Polished



C3511
Chrome with Custom Insert



C185
Chrome Polished



C885
Gold Polished

Seal Your Kegs

Enhance Hygiene I Safety I Brand Identity



- STICKER
- PAD PRINTING
- IML LABELING

Custom Printing Option Available*

Keg Seal Cap






Tamper
Evident

C2191 - A System **Keg Cap**
C2188 - S System **Keg Cap**
C2188 - D System **Keg Cap**
C2192 - G System **Keg Cap**




Made from 100% Recyclable Material.
Choose Different color for Different Type of Beer.
Stop Beer Theft During Transit.
Available in Various Colors.


Custom Printing Option Available*



A SYSTEM



S SYSTEM



G SYSTEM

*MOQ Applicable

Our Installations










More Than 25 Years

of Your Market Understanding & Your Challenges



Krome Dispense Network



CB10/26WP



INDIA

Krome Dispense Pvt. Ltd., Jalandhar - Pathankot Road,
Opposite Mex Switchgear, Jalandhar, Punjab, India

USA

Krome USA Inc., 3482 Keith Bridge Road # 298
Cumming GA 30041

Email Us To Know Our Distributor Near You :-
Info@kromedispense.com or Call 91754-00006

For More Products Visit:- www.kromedispense.com
Call : 678 666 2001

G@ October 2026